

<i>walkeri</i> Broth.	443	<i>semidecurrens</i> Lehm. & Lindenb.	420
Hypnaceae	434	<i>semirepanda</i> Nees	417
<i>Hypnum anceps</i> Bosch & Sande Lac.	447	<i>squarrosa</i> Reinw. et al.	409
<i>aneurodictyon</i> Müll. Hal.	436	<i>stephanii</i> (Schiffn.) Amakawa	422
<i>blepharophyllum</i> Müll. Hal.	448	<i>striata</i> Lehm. & Lindenb.	417
<i>buchananii</i> Hook.	424	<i>subfusca</i> Nees	417
<i>compressifolium</i> Mitt.	434	<i>tamarisci</i> L.	410
<i>crispatulum</i> Hook.	438	<i>tetragona</i> Lindenb.	422
<i>cuspidigerum</i> Schwägr.	446	<i>trapezia</i> Nees	412
<i>cyperoides</i> Hook. ex Harv.	435	<i>ulicina</i> Taylor	417
<i>hastatum</i> Duby	423	Lejeunea Lib.	415
<i>herbaceum</i> Mitt.	424	<i>abortiva</i> Mitt.	416
<i>lignicola</i> Mitt.	435	aloba Sande Lac.	415
<i>llanosii</i> Duby	447	<i>diversifolia</i> Mitt.	413
<i>meyenianum</i> Hampe	448	<i>eckloniana</i> Lindenb.	417
<i>nepalense</i> Schwägr.	446	flava (Sw.) Nees	415
<i>plumulosum</i> Dozy & Molk.	448	<i>gilva</i> Gottsche	411
<i>procumbens</i> Mitt.	424	<i>haskarliana</i> Lehm. & Lindenb.	413
<i>reticulatum</i> Dozy & Molk.	436	<i>imbricata</i> (Nees) Gottsche	412
<i>riparioides</i> Hedw.	424	kashyapii M. Dey	415
<i>tamariscellum</i> Müll. Hal.	448	<i>laeviuscula</i> Mitt.	412
<i>turgidellum</i> Müll. Hal.	446	<i>longifolia</i> Mitt.	413
<i>wallichii</i> Brid.	437	lowriana Steph.	415
<i>wightii</i> Mitt.	447	<i>maculata</i> Mitt.	416
Isopterygium Mitt.	435	<i>mariana</i> Gottsche	412
lignicola (Mitt.) A. Jaeger	435	<i>minutissima</i> (Sm.) Spreng.	413
<i>Isothecium trichophorum</i> Mont.	437	neelgherriana Gottsche	415
Jubula Dumort.	411	<i>nigricans</i> Lindenb.	416
<i>cambouéna</i> Steph.	411	<i>olivacea</i> (Steph.) Steph.	416
hutchinsiae subsp. javanica (Steph.) Verd.	411	<i>pentadactyla</i> Mont.	414
subsp. <i>javanica</i> f. <i>integrifolia</i> Horik.	411	<i>planissima</i> Mitt.	414
subsp. <i>javanica</i> f. <i>stephanii</i> Verd.	411	<i>schiffneri</i> Steph.	416
subsp. <i>javanica</i> var. <i>integrifolia</i> S.Hatt.	411	stevensiana (Steph.) Mizut.	415
<i>integrifolia</i> Steph.	411	subolivacea Mizut.	416
<i>javanica</i> Steph.	411	tenerrima Lindenb.	416
<i>rostrata</i> Steph.	411	<i>trichomanis</i> Gottsche	414
<i>samoana</i> Steph.	411	<i>tristis</i> Steph.	415
<i>setacea</i> Steph.	411	<i>ulicina</i> (Taylor) Gottsche	417
<i>sikkimensis</i> Steph.	411	wightii Lindenb.	416
<i>tonkinensis</i> Steph.	411	Lejeuneaceae	411
<i>trifida</i> Steph.	411	Lepidoziaceae	418
Jubulaceae	411	<i>Leptocolea appressa</i> A.Evans	412
<i>Jungermannia arecae</i> Spreng.	409	<i>furcilibulata</i> Berrie & E.W. Jones	413
<i>arguta</i> Reinw. et al.	418	<i>himalayensis</i> Pande & Misra	413
<i>caespiticia</i> Lindenb.	422	<i>lanciloba</i> (Steph.) A. Evans	413
<i>elliptica</i> Lehm. & Lindenb.	416	<i>latilobula</i> Herzog	413
<i>ericoides</i> Nees	409	<i>ocellata</i> Horik.	414
<i>flava</i> Sw.	415	Leptolejeunea (Spruc.) Schiffn.	416
<i>floccosa</i> Lehm. & Lindenb.	412	<i>dapitana</i> Steph.	416
<i>furcata</i> L.	419	elliptica (Lehm. & Lindenb.) Schiffn.	416
<i>heterophylla</i> Schrad.	418	<i>fleischeri</i> Steph.	414
<i>kiaerii</i> Austin	408	maculata (Mitt.) Schiffn.	416
<i>lutescens</i> Lehm.	410	<i>schiffneri</i> auct non Steph.	416
<i>lyellii</i> Hook.	419	<i>subacuta</i> Steph. ex A.Evans	416
<i>marginata</i> Lehm. & Lindenb.	413	<i>Leptolejeunea schiffneri</i> (Schiffn.) Steph.	416
<i>minutissima</i> Sm.	413	<i>Leptotrichum griffithii</i> Mitt.	430
<i>moniliata</i> Reinw.	410	<i>Leskea densa</i> Hook.	435
<i>muricata</i> Lehm.	418	<i>floribunda</i> Dozy & Molk.	438
<i>obscura</i> Sw.	410	<i>glaucina</i> Mitt.	448
<i>pinguis</i> L.	406	Leucobryum Hampe	436

imbricatum Broth.	436	Meteoriopsis M. Fleisch.	438
wightii Mitt.	436	reclinata (Müll. Hal.) M. Fleisch.	438
Leucoloma Brid.	430	<i>reclinata</i> f. <i>pilifer</i> M. Fleisch.	438
<i>mittenii</i> M. Fleisch.	430	squarrosa (Hook. ex Harv.) M. Fleisch.	438
<i>renauldii</i> Broth.	430	<i>Meteorium bombycinum</i> Renauld & Cardot	438
<i>strictifolium</i> Dixon	430	<i>convolvens</i> Mitt.	438
taylorii (Schwägr.) Mitt.	430	<i>diclados</i> Schimp.	437
tenerum Mitt.	430	<i>enerve</i> Thwaites & Mitt.	437
<i>walkeri</i> Broth.	430	<i>filamentosum</i> (Hook.) Mitt.	437
Leucomiaceae	436	<i>flexipes</i> Mitt.	445
Leucomium Mitt.	436	<i>floribundum</i> (Dozy & Molk.) Dozy & Molk.	438
aneurodictyon (Müll. Hal.) A. Jaeger	436	<i>foulkesianum</i> Mitt.	444
Lophocolea (Dumort.) Dumort.	418	<i>frondosum</i> Mitt.	444
heterophylla (Schrad.) Dumort.	418	<i>javanicum</i> Bosch & Sande Lac.	438
<i>kurzii</i> Sade Lac	418	<i>nematosum</i> Müll. Hal.	444
muricata (Lehm.) Nees	418	<i>reclinatum</i> (Müll. Hal.) Mitt.	438
Lophocoleaceae	418	Metzgeria Raddi	419
Lopholejeunea (Spruc.) Schiffn.	416	coorgense S. C. Srivast. & Smita Srivast.	419
abortiva (Mitt.) Steph.	416	<i>crassipilis</i> auct. non (Lindb) A. Evans	419
<i>gradsteinii</i> Udar	416	<i>crispula</i> Herzog	419
nigricans (Lindenb.) Schiffn.	416	<i>dispiens</i> (C. Massal.) Schiffn.	419
<i>nilgiriensis</i> U.S. Awasthi	417	furcata (L.) Corda	419
<i>nongstoinii</i> A.P. Singh & V. Nath	417	<i>lutescens</i> Steph.	419
sikkimensis Steph.	416	Metzgeriaceae	419
subfusca (Nees) Schiffn	417	Microcampylopus (C. Müll.) Fleisch.	430
var. <i>yoshinagana</i> S. Hatt.	412	khasianus (Griff.) Giese & J.-P. Frahm	430
<i>yoshnagana</i> (S. Hatt.) S. Hatt.	412	<i>Microdus brasiliensis</i> (Duby) Thér.	430
<i>Lorentzia longirostris</i> Hampe	448	<i>pomiformis</i> (Griff.) Besch.	430
Macgregorella E.B. Bartram	439	Microlejeunea (Spruc.) Jack & Steph.	417
indica (Broth.) W.R. Buck	439	<i>inflatiloba</i> Steph.	416
<i>philippinensis</i> E.B. Bartram	439	ulicina (Taylor) Steph.	417
Macromitrium Brid.	440	<i>ulicina</i> (Taylor) A. Evans	417
<i>ceylanicum</i> Mitt.	440	<i>Mindal pangiensis</i> Kashyap	407
leptocarpum Broth.	440	<i>Mnium giganteum</i> Schwägr.	427
moorcroftii (Hook. & Grev.) Schwägr.	440	<i>ramosum</i> Harv.	425
<i>neelgheriense</i> Müll. Hal.	440	Myriniaceae	439
nigricans Mitt.	440	<i>Neckera adiantum</i> Griff.	434
<i>ramentosum</i> Thwaites & Mitt.	440	<i>alopecuroides</i> Mitt.	439
sulcatum (Hook.) Brid.	440	<i>bicolorata</i> Müll. Hal.	439
<i>Madotheca lancistipula</i> Steph.	421	<i>blanda</i> Harv.	438
Marchantia L.	418	<i>celebesica</i> Müll. Hal.	439
emarginata Reinw.	418	<i>efructifera</i> Griff.	439
<i>hemisphaerica</i> L.	407	<i>filamentosa</i> Hook.	437
<i>hirsuta</i> Sw.	408	<i>fuscens</i> Hook.	437
<i>palmata</i> Reinw.	418	<i>kegeliana</i> Müll. Hal.	445
Marchantiaceae	418	<i>longissima</i> Dozy & Molk.	437
Marchantiophyta	406	<i>prionacis</i> Müll. Hal.	439
<i>Mastigobryum ovistipulum</i> Steph.	418	<i>recurvula</i> (Broth.) Paris	445
Mastigophora Nees	419	<i>rostrata</i> Griff.	446
diclados Brid. ex F. Weber	419	<i>rugulosa</i> Mitt.	439
Mastigophoraceae	419	<i>schmidii</i> Müll. Hal.	445
Meesia Hedw.	436	<i>squarrosa</i> Hook. ex Harv.	438
<i>hymenostoma</i> Cardot & Broth.	436	<i>tumida</i> Dicks. ex Hook.	445
<i>stricta</i> Brid.	436	Neckeraceae	439
uliginosa Hedw.	436	Neckeropsis Reichdt.	439
Meesiaceae	436	andamana (Müll. Hal.) M. Fleisch.	439
<i>Merceyopsis spathulifolia</i> Dixon & P. de la Varde	442	Notoscyphus Mitt.	410
Mesonodon Hampe	432	lutescens (Lehm.) Mitt.	410
Mesonodon flavescens (Hook.) W.R. Buck	432	paroicus Schiffn.	410
Meteoriaceae	437	Notothykladaceae	405

Notothyas Sull. ex A. Gray	405	<i>trianguliloba</i> Steph.	414
dissecta Steph.	405	<i>trichomanis</i> (Gottsche) Steph.	414
pandei Udar & V. Chandra	405	Pilotrichaceae	440
pfleidereri Udar & D.K.Singh	405	<i>Pilotrichum reclinatum</i> Müll. Hal.	438
Octoblepharum Hedw.	428	Pinnatella M. Fleisch.	439
albidum Hedw.	428	alopescuroides (Mitt.) M. Fleisch.	439
var. <i>cuspidatum</i> Müll. Hal.	428	calcutensis M. Fleisch.	440
<i>cuspidatum</i> Müll. Hal.	428	<i>intralimbata</i> M. Fleisch.	439
<i>longifolium</i> Lindb.	428	limbata Dixon	440
<i>minus</i> Hampe	428	Plagiochila (Dumort.) Dumort.	420
<i>Otokepos khasyanus</i> Griff.	406	<i>aequalis</i> Mitt.	420
<i>Orthodon subglaber</i> Griff.	447	<i>asymmetrica</i> Steph.	420
Orthotrichaceae	440	<i>bipinnata</i> Steph.	420
<i>Orthotrichum concavifolium</i> Griff.	427	<i>brevifolia</i> Steph.	420
<i>moorcroftii</i> Hook. & Grev.	440	<i>consimilis</i> Steph.	420
Oxyrrhynchium (Schimp.) Warnst.	424	<i>cornuta</i> Steph.	420
vagans (A. Jaeger) Ignatov & Huttunen	424	<i>decolyana</i> Schiffn. ex Steph.	420
Pallavicinia Gray	419	elegans Mitt.	420
<i>canara</i> Steph.	419	flexuosa Mitt.	420
<i>crispata</i> (Mont.) Trevis.	419	fruticosa Mitt.	420
<i>indica</i> Schiffn.	419	<i>gammiana</i> Steph.	420
levieri Schiffn.	419	<i>gollanii</i> Steph.	420
lyellii (Hook.) Carruth	419	var. <i>triquetra</i> Herzog	420
<i>ridleyi</i> Steph.	419	<i>grata</i> Steph.	420
Pallaviciniaceae	419	<i>grossevitta</i> Steph.	420
<i>Papillaria floribunda</i> (Doz. & Molk.) Müll. Hal.	438	<i>hartlessiana</i> Steph.	420
Pelekium Mitt.	448	himalayana Schiffn.	420
<i>callicola</i> M. Fleisch.	448	<i>inermis</i> Schiffn. ex Steph.	420
<i>fissicalyx</i> Müll. Hal.	448	<i>kamaounensis</i> Taylor	420
velatum Mitt.	448	<i>kudremuktii</i> Steph.	420
Phaeoceros Prosk.	406	<i>kurseongensis</i> Schiffn. ex Steph.	420
laevis (L.) Prosk.	406	<i>longicalyx</i> Steph.	421
subsp. <i>laevis</i> Prosk.	406	<i>luethiana</i> Steph.	420
<i>Phaeoeros butlerii</i> (Steph.) Udar & D.K. Singh	406	nepalensis Lindenb.	420
Philonotis Brid.	423	<i>nidulans</i> Herzog	421
angusta Mitt.	423	<i>nilgherriensis</i> Steph.	421
<i>appressifolia</i> Dixon	423	<i>permagna</i> Schiffn. ex Steph.	420
<i>asperifolia</i> Mitt.	423	<i>pluridentata</i> Steph.	420
hastata (Duby) Wijk & Margad.	423	<i>pseudorientalis</i> Inoue	420
<i>heterophylla</i> Mitt.	423	<i>remotistipula</i> Steph.	420
<i>imbricatula</i> Mitt.	423	<i>renitens</i> (Nees) Lindenb.	421
var. <i>synoica</i> Thér.	423	<i>schaulina</i> Schiffn. ex Steph.	421
mollis (Dozy & Molk.) Mitt.	423	<i>semiaperta</i> Schiffn. ex Steph.	420
var. <i>simplicicaulis</i> Zanten	423	semidecurrans (Lehm. & Lindenb.) Lindenb.	420
<i>revoluta</i> Bosch & Sande Lac	423	var. <i>undulata</i> Carl.	421
<i>socia</i> Mitt.	423	<i>spinosocornuta</i> Steph.	420
<i>sumatrana</i> Dixon	423	Plagiochilaceae	420
thwaitesii Mitt.	423	Platygyriella Cardot	435
<i>Phragmicoma pulopenangensis</i> Gottsche	417	densa (Hook.) W.R. Buck	435
<i>reniloba</i> Gottsche	412	<i>helicodontioides</i> Cardot	435
Phycolepidozia R.M. Schust.	408	<i>Platygyrium squarrulosum</i> A. Jaeger	431
indica Gradst.	408	Platyhypnidium M. Fleisch.	424
Physcomitrium (Brid.) Fuernr.	434	riparioides (Hedw.) Dixon	424
coorgense Broth.	434	Pogonatum P. Beauv.	441
insigne Dixon & P. de la Varde	434	<i>aloides</i> auct. non (Hedw.) P. Beauv.	441
schummii U.Schwarz	434	var. <i>longicolle</i> Mitt.	441
<i>Physocolea acinacifolia</i> Steph.	413	<i>decolyi</i> Broth. ex Gangulee	441
<i>diversifolia</i> (Mitt.) Steph.	413	<i>hexagonum</i> Mitt.	441
<i>gottschei</i> Steph.	413	microstomum (R. Br. ex Schwägr.) Brid.	441
<i>longifolia</i> (Mitt.) Steph.	413	neesii (Müll. Hal.) Dozy	441

<i>strictifolium</i> Broth. ex Gangulee	441	<i>var. pangiensis</i> Kashyap	407
<i>subclavatum</i> Dixon	441	<i>Rectolejeunea aloba</i> (Sande Lac.) Steph.	415
Polytrichaceae	441	<i>olivacea</i> (Steph.) S.C. Srivast. & A. Agarwal	416
Polytrichum Hedw.	441	<i>subacuta</i> Steph.	416
hexagonum (Mitt.) Müll. Hal.	441	<i>Rhaphidolejeunea yunnanensis</i> P.C. Chen	415
<i>microstomum</i> R. Br. ex Schwägr.	441	<i>Rhaphidostegium ambiguum</i> A. Jaeger	435
<i>neesii</i> Müll. Hal.	441	<i>Rhaphidostegium tristiculum</i> (Mitt.) A. Jaeger	446
Porella L.	421	Rhodobryum (Schimp.) Hampe	427
campylophylla subsp. lancistipula (Steph.)		giganteum (Schwägr.) Paris	427
S.Hatt.	421	<i>pseudogiganteum</i> (Müll. Hal.) Paris	427
<i>lancistipula</i> (Steph.) S.Hatt.	421	Rhynchostegium Schimp.	424
Porellaceae	421	herbaceum (Mitt.) A. Jaeger	424
<i>Porotrichum alopecuroides</i> (Mitt.) Besch.	439	<i>patentifolium</i> Müll. Hal.	424
Pottiaceae	441	<i>vagans</i> A. Jaeger	424
Pseudotrachypus P. de la Varde & Thér.	438	Riccardia Gray	406
convolvens (Mitt.) W.R. Buck	438	<i>indica</i> (Steph. ex Kashyap) Pande & K.P. Srivast.	406
Pterobryaceae	444	levieri Schiffn.	406
<i>Pterobryon frondosum</i> (Mitt.) Broth.	444	Riccia L.	421
<i>gracile</i> Broth.	444	<i>bengalensis</i> Khan	421
<i>involutum</i> Thwaites & Mitt.	445	billardieri Mont. & Nees	421
<i>patulum</i> Broth.	444	<i>bulbifera</i> Steph.	421
<i>walkeri</i> Broth.	445	crystallina L.	422
Pterobryopsis M. Fleisch.	444	discolor Lehm. & Lindenb.	422
<i>denudata</i> Dixon & P. de la Varde	445	<i>gollanii</i> Lev. ex Steph.	422
foulkesiana (Mitt.) M. Fleisch.	444	<i>himalayensis</i> auct. non Kashyap	421
frondosa (Mitt.) M. Fleisch.	444	<i>himalayensis</i> Kashyap	422
<i>kanarensis</i> Cardot & Dixon	445	huebeneriana Lindenb.	422
kegeliana (Müll. Hal.) M. Fleisch.	445	<i>kashyapii</i> Kachroo	422
<i>madurensis</i> Cardot & P. de la Varde	444	mangalorica Ahmad ex Jovet-Ast	422
<i>var. flexipendula</i> Cardot & P. de la Varde	444	<i>pimodii</i> Kachroo	421
<i>maxwellii</i> Cardot & Dixon	445	<i>plana</i> Taylor	422
<i>scabriuscula</i> (Mitt.) M. Fleisch.	444	Ricciaceae	421
schmidii (Müll. Hal.) M. Fleisch.	445	Rosulabryum Spence	427
tumida (Dicks. ex Hook.) Dixon	445	tuberosum (Mohamed & Damanhuri) J.R. Spence	427
walkeri (Broth.) Broth.	445	<i>Saccogyna subalternifolia</i> Steph.	410
<i>Pterogonium flavescens</i> Hook.	432	Schiffneriolejeunea Verd.	417
<i>squarrosulum</i> Mont.	431	<i>indica</i> (Steph.) Udar & U.S. Awasthi	417
<i>squarrosulum</i> Griff.	431	pulopenangensis (Gottsche) Gradst.	417
Ptychanthus Nee.	417	<i>Schisma chinensis</i> Steph.	410
striatus (Lehm. & Lindenb.) Nees	417	<i>dicranum</i> (Taylor) Steph.	410
<i>Ptychocoleus mangaloreus</i> Steph.	417	<i>fleischeri</i> Steph.	411
<i>pulopenangensis</i> (Gottsche) Steph.	417	<i>himalayanum</i> Steph.	411
Racopilaceae	446	<i>nilgerriense</i> Steph.	411
Racopilum P. Beauv.	446	<i>pinnata</i> Steph.	411
cuspidigerum (Schwägr.) Ångström	446	<i>sanguineum</i> (Mont.) Steph.	411
<i>var. abbreviatum</i> M. Fleisch.	446	<i>sikkimense</i> Steph.	411
<i>var. demissum</i> (Bosch & Sande Lac.) M.		<i>wichurae</i> Steph.	410
Fleisch.	446	<i>Schlotheimia sulcata</i> Hook.	440
<i>demissum</i> Bosch & Sande Lac.	446	Schoenobryum Dozy & Molke.	427
<i>indicum</i> Mitt.	446	concafolium (Griff.) Gangulee	427
Radula Dumort.	421	<i>Schwetschkea indica</i> Broth.	439
acuminata Steph.	421	Sematophyllaceae	446
javanica Gottsche	421	Sematophyllum Mitt.	446
<i>multiflora</i> Gottsche ex Schiffn.	421	angusticuspis Broth.	446
pandei Udar & Dh. Kumar	421	<i>monostictum</i> Thwaites & Mitt.	447
<i>sandei</i> Steph.	421	tristiculum (Mitt.) M. Fleisch.	446
<i>wallichiana</i> Lehm.	421	<i>Semibarbula indica</i> (Hook.) Herzog ex Hilp.	442
Radulaceae	421	<i>Sentnera diclados</i> (Brid.) Endl.	419
Reboulia Raddi	407	<i>dicrana</i> Taylor	410
hemisphaerica (L.) Raddi	407	Solenostoma Mitt.	422

caespiticium (Lindenb.) Steph.	422	glaucinum (Mitt.) Bosch & Sande Lac.	448
stephanii (Schiffn.) Steph.	422	meyenianum (Hampe) Dozy & Molk.	448
tetragonum (Lindenb.) R.M.Schust. ex Váňa & D.G. Long	422	<i>plumulosum</i> (Dozy & Molk.) Dozy & Molk.	448
Solenostomataceae	422	<i>trachypodum</i> Bosch & Sande	448
Splachnaceae	447	<i>Thysananthus renilobus</i> (Gottsche) Schiffn.	412
Spruceanthus Verd.	417	<i>Thysanomitrion umbellatum</i> Schwägr. & Gaudich. ex Arn. 429	
<i>marianus</i> (Gottsche) Mizut.	412	Tortella (Lindb.) Limpr.	443
semirepandus (Nees) Verd.	417	<i>hyalinoblasta</i> Broth.	443
<i>Steetzia lyellii</i> (Hook.) Lehm.	419	walkeri (Broth.) R.H. Zander	443
<i>Stereodon succosus</i> Mitt.	436	<i>Tortula affinis</i> (Hampe) Broth.	443
<i>taxirameus</i> Mitt.	435	<i>duriuscula</i> Mitt.	442
<i>tristiculus</i> Mitt.	446	<i>indica</i> Hook.	442
Stereophyllaceae	447	<i>Trachyloma recurvulum</i> Broth.	445
<i>Stereophyllum oahuense</i> Broth.	447	Trachypodopsis M. Fleisch.	438
<i>philippinense</i> Broth.	447	<i>angustiretis</i> Dixon	438
<i>Strepsilejeunea neelgherriana</i> (Gottsche) Steph.	415	<i>crispatula</i> (Hook.) M. Fleisch.	438
Symphyodon Mont.	447	subsp. <i>longifolia</i> Reimers	438
<i>merrillii</i> Broth.	447	<i>plicata</i> Dixon	438
perrottetii Mont.	447	serrulata var. crispatula (Hook.) Zanten	438
Symphyodontaceae	447	<i>Trachypus blandus</i> (Harv.) Mitt.	438
<i>Symphysodon involutus</i> (Thwaites & Mitt.) Broth.	445	<i>crispatulus</i> (Hook.) Mitt.	438
Symphysodontella M. Fleisch.	445	Trematodon Michx.	424
<i>involuta</i> (Thwaites & Mitt.) M. Fleisch.	445	<i>acutus</i> Müll. Hal	424
Syntrichia Brid.	443	<i>ceylonensis</i> Müll. Hal.	424
fragilis (Taylor) Ochyra	443	<i>cubensis</i> Müll. Hal.	424
Syrrophodon Mont.	427	<i>flexifolius</i> Müll. Hal.	424
<i>assamicus</i> H. Rob.	427	longicollis Michx.	424
semiliber (Mitt.) Besch.	427	<i>paucifolius</i> Müll. Hal.	424
<i>taylorii</i> Schwägr.	430	<i>reflexus</i> Müll. Hal.	424
Targionia L.	422	<i>reineckei</i> Müll. Hal.	424
hypophylla L.	422	<i>squarrosus</i> Müll. Hal.	424
Targioniaceae	422	<i>uncinatus</i> Müll. Hal.	424
Taxilejeunea (Spruc.) Schiffn.	417	Trichosteleum Mitt.	447
eckloniana (Lindenb.) A. Agarwal ex P. Verma & S.C. Srivast.	417	monostictum (Thwaites & Mitt.) Broth.	447
<i>stevensiana</i> Steph.	415	Trichostomum Bruch.	443
<i>tenerrima</i> Steph.	416	<i>duriusculum</i> (Mitt.) Broth.	442
Taxiphyllum M. Fleisch.	435	hyalinoblastum (Broth.) Broth.	443
Taxiphyllum taxirameum (Mitt.) M. Fleisch.	435	<i>orientale</i> F. Weber	442
Taxithelium Spruc. ex Mitt.	446	<i>Tuzibeanthus chinensis</i> auct non (Steph.) Mizut.	412
<i>isopterygioides</i> Dixon	432	Vesicularia (Müll. Hal.) Müll. Hal.	435
nepalense (Schwägr.) Broth.	446	<i>filicuspis</i> Broth.	436
<i>trachaelophyllum</i> Dixon	446	levieri Cardot	435
Tayloria Hook.	447	<i>okamurae</i> Broth.	436
schmidii (Müll. Hal.) Broth.	447	reticulata (Dozy & Molk.) Broth.	436
<i>subglabra</i> (Griff.) Mitt.	447	<i>samoana</i> Broth.	436
Thuidiaceae	448	succosa (Mitt.) Broth.	436
Thuidium Schimp.	448	Weissia Hedw.	443
blepharophyllum (Müll. Hal.) A. Jaeger	448	<i>brasiliensis</i> Duby	430
<i>fissicalyx</i> (Müll. Hal.) Paris	448	edentula Mitt.	443
		<i>viridula</i> var. <i>tenuiseta</i> Besch.	443

Index to Botanical Name (Pteridophytes)
(Accepted names in bold and synonyms in italics)

<i>Acrophorus pulcher</i> (D. Don) T. Moore	463	Antrophyum Kaulf.	479
Acrostichum L.	478	plantagineum (Cav.) Kaulf.	479
<i>appendiculatum</i> Willd.	466	<i>reticulatum</i> auct. non (G. Forst.) Kaulf.	479
<i>asplenifolium</i> Bory	467	<i>Aphyllocalpa regalis</i> (L.) Lag.	474
aureum L.	478	Arachniodes Blume	465
<i>axillare</i> Cav.	476	amabilis (Blume) Tindale	465
<i>calomelanos</i> L.	480	aristata (G. Forst.) Tindale	465
<i>digitatum</i> L.	483	tripinnata (Goldm.) Sledge	465
<i>heterophyllum</i> L.	475	Araiostegia Copel.	463
<i>lanceolalum</i> L.	476	pulchra (D. Don) Copel.	463
<i>palustre</i> (Burm.f.) C. B. Clarke	462	<i>Aspidium amabile</i> Blume	465
<i>preslianum</i> Fee	467	<i>aristatum</i> (G. Forst.) Sw.	465
<i>punctatum</i> L.	477	<i>cicutarium</i> sensu Hook.	484
<i>semicordatum</i> Baker	465	<i>ciliatum</i> Wall. ex Benth.	488
<i>subcrenatum</i> Hook. & Grev.	465	<i>coadunatum</i> Wall. ex Hook. & Grev.	484
<i>thalictroides</i> L.	479	<i>extensum</i> Blume	485
<i>variable</i> Hook.	476	<i>filix-mas</i> var. <i>cochleatum</i> (D. Don) Christ	466
<i>Actiniopteris dichotoma</i> Kuhn	478	<i>hirtipes</i> Blume	466
radiata (Sw.) Link	478	<i>hispidulum</i> Decne.	485
Actinopteris Link	478	<i>musifolium</i> Blume	473
Adiantum L.	478	<i>oethodes</i> Kunze	487
aethiopicum L.	478	<i>opulentum</i> Kaulf.	485
capillus-veneris L.	478	<i>otaria</i> Kunze ex Mett.	459
<i>caudatum</i> auct. non L.	478	<i>polymorphum</i> Wall. ex Hook.	485
hispidulum Sw.	478	<i>sparsum</i> (D. Don) Spreng.	466
incisum Forssk.	478	<i>Aspidum xyloides</i> Kunze	488
latifolium Lam.	479	Aspleniaceae	460
lunulatum Burm. f.	479	Asplenium L.	460
<i>philippense</i> L.	479	<i>adiantoides</i> (L.) C. Chr.	462
<i>pubescens</i> Schk.	478	aethiopicum (Burm. f.) Bech.	460
raddianum C. Presl	479	<i>arifolium</i> Burm.	480
zollingeri Mett. ex Kuhn	479	<i>brachtus</i> Kunze	461
Allantodia R. Br.	459	<i>brasiliensis</i> auct. non Sw.	461
aspera (Blume) Ching	459	<i>camptorachis</i> Kunze	461
<i>brunoniana</i> Wall.	464	<i>caudatum</i> auct. non G. Forst.	461
<i>hohenackerianum</i> Kunze	460	cheilosorum Kunze ex Mett.	461
<i>javanica</i> (Blume) Trev.	464	<i>contiguum</i> auct. non Kaulf.	461
<i>solenopteris</i> Kunze	460	crinicaule Hance	461
<i>Alsophila decipiens</i> J.Scott ex Bedd.	463	decreescens Kunze	461
<i>gigantea</i> Wall. ex Hook.	463	ensiforme Wall. ex Hook. & Grev.	461
<i>glabra</i> auct. non (Blume) Copel.	463	erectum Bory ex Willd.	461
<i>latebrosa</i> Hook.	463	<i>falcatum</i> sensu Bedd.	461
<i>nilgirensis</i> (Holttum) R.M. Tryon	463	<i>falcatum</i> Lam.	462
<i>spinulosa</i> (Wall. ex Hook.) R.M. Tryon	463	formosum Willd.	461
Ampelopteris Kunze	485	<i>furcatum</i> Thunb.	460
prolifera (Retz.) Copel.	485	inaequilaterale Willd.	461
<i>Amphicosmia decipiens</i> (J.Scott ex Bedd.) Bedd.	463	<i>indicum</i> Sledge	462
Amphineuron Holttum	485	<i>javanicum</i> Blume	464
opulentum (Kaulf.) Holttum	485	laciniatum D. Don.	461
<i>terminans</i> (J.Sm. ex Hook.) Holttum	486	<i>laciniatum</i> auct. non D. Don	462
Angiopteris Hoffm.	472	<i>laserpitiifolium</i> auct. non Lam.	460
evecta (G. Forst.) Hoffm.	472	<i>lasiopteris</i> (Kunze) Mett.	460
Anisocampium C. Presl	459	<i>lunulatum</i> var. <i>camptorachis</i> (Kunze) Bedd.	461
cumingianum C. Presl	459	var. <i>trapeziforme</i> Bedd.	461
<i>Anisogonium esculenta</i> (Retz.) C. Presl	460	<i>multijugum</i> Wall. ex Mett.	462
Anogramma Link	479	nidus var. phyllitidis (D. Don) Bir	461
leptophylla (L.) Link	479	normale D. Don	462

<i>phyllitidis</i> D. Don	461	obscurum (Blume) K. Iwats.	468
<i>panicule</i> Wall. ex Mett.	462	Ceratopteris Brongn.	479
polyodon G. Forst.	462	<i>calomelanos</i> (L.) Underw.	480
<i>radiatum</i> Sw.	478	thalictroides (L.) Brongn.	479
<i>resectum</i> Sw.	462	<i>Ceropteris calomelanos</i> (L.) Link	480
rockii C. Chr.	462	Cheilanthes Sw.	480
tenuifolium D. Don	462	albomarginata C. B. Clarke	480
<i>thwaitesii</i> Braunek	460	farinosa (Forssk.) Kaulf.	480
<i>trapeziforme</i> sensu Bedd.	461	var. <i>albomarginata</i> (C.B.Clarke) Bedd.	480
<i>trapeziforme</i> Wall. ex Roxb.	462	<i>mysurensis</i> Wall	480
unilaterale Lam.	462	swartzii Webb & Berthel.	480
yoshinagae Makino	462	tenuifolia (Burm.) Sw.	480
<i>Asplenium heterocarpum</i> Wall. ex Hook.	461	<i>Cheilosoria tenuifolia</i> (Burm. f.) Trevis.	480
Athyriaceae	459	Christella Lev.	485
Athyrium Roth	460	dentata (Forssk.) Brownsey & Jermy	485
anisopterum Christ.	460	hispidula (Decne.) Holttum	485
<i>asperum</i> (Blume) Copel.	459	<i>malabariensis</i> (Fee) Holttum	486
<i>cumingianum</i> (C. Presl) Ching	459	meeboldii (Rosenst.) Holttum	486
<i>dilatatum</i> (Blume) Holttum	460	papilio (Hope) Holttum	486
<i>drepanophyllum</i> Bedd	460	parasitica (L.) Lev.	486
<i>esculentum</i> (Retz.) Copel.	460	<i>quadrangularis</i> (Fee) Holttum	485
falcatum Bedd.	460	Colysis C. Presl	474
hohenackerianum (Kunze) T. Moore	460	hemionitidea (Wall. ex C. Persl.) C. Presl.	474
<i>javanicum</i> (Blume) Copel.	464	Crepidomanes Presl	468
<i>macrocarpon</i> Bedd.	460	intramarginale (Hook. & Grev.) Copel.	468
<i>otaria</i> (Kunze ex Mett.) Posth.	459	latealatum (Bosch) Copel.	468
<i>pectinatum</i> Bedd.	460	latemarginale (A.A.Eaton) Copel.	468
solenopteris (Kunze) T. Moore	460	minutum (Blume) K. Iwats.	469
Azolla Lam.	483	<i>plicatum</i> (Bosch) Ching	468
<i>africana</i> Desv.	483	Crypsinus C. Presl	475
<i>pinnata</i> R. Br.	483	montanus Sledge	475
subsp. africana (Desv.) R.M.K. Saunders & K.		Cyathea Sm.	463
Fowler	483	gigantea (Wall. ex Hook.) Holttum	463
var. <i>africana</i> (Desv.) Baker	483	nilgirensis Holttum	463
Blechnaceae	462	spinulosa Wall. ex Hook.	463
Blechnum L.	462	Cyatheaceae	463
orientale L.	462	<i>Cyclodium cumingianum</i> (C. Presl) T. Moore	459
Bolbitis Schott	464	<i>Cyclophorus porosus</i> (C. Presl) C. Presl	476
<i>appendiculata</i> (Willd.) K. Iwats.	466	Cyclosorus Link	486
<i>kanarensis</i> Nayar & Chandra	464	<i>contiguus</i> (Rosenst.) Ching	485
<i>kanarensis</i> Nayar & Chandra	466	<i>dentatus</i> (Forssk.) Ching	485
semicordata (Baker) Ching	465	<i>didymosorus</i> (Parish ex Bedd.) Nayar & Kaur	486
var. <i>incisa</i> Nayar & Chandra	465	<i>extensus</i> (Blume) Ching	485
subcrenata (Hook. & Grev.) Ching	465	interruptus (Willd.) H.Ito	486
<i>x presiliana</i> (Fee) Ching	467	<i>interruptus</i> sensu Ching	486
x lancea (Copel.) Ching	464	<i>meeboldii</i> (Rosenst.) Ching	486
x prolifera (Bory) C. Chr. Ex C. Chr. & Tard.	464	terminans (J. Sm. ex Hook.) K.H. Shing	486
Botrychium Sw.	473	<i>truncatus</i> (Poir.) Fauo.	487
daucifolium Wall. ex Hook. & Grev.	473	<i>tylodes</i> (Kunze) Panigrahi	488
lanuginosum Wall. ex Hook. & Grev.	473	<i>Davallia chaerophylla</i> Wall. ex Hook.	463
<i>subcarnosum</i> Wall. ex Bedd.	473	<i>multiflora</i> Roxb.	473
<i>virginatum</i> var. <i>languinosum</i> Bedd.	473	<i>pulchra</i> D. Don	463
<i>Byrsopteris amabilis</i> (Blume) C.V. Morton	465	<i>tenuifolia</i> (Lam.) Sw.	471
<i>aristata</i> (G. Forst.) C.V. Morton	465	Davalliaceae	463
Calamaria Boehm.	470	Dennsteadiaceae	463
coromandelina (L. f.) Kuntze	470	Deparia Hook. & Grev.	460
<i>Campium lanceum</i> Copel.	464	petersenii (Kunze) M. Kato	460
<i>Campteria biaurita</i> (L.) Hook.	481	Dicranopteris Bernh.	467
<i>nemoralis</i> J. Sm.	481	linearis (Burm. f.) Underw.	467
Cephalomanes Presl	468	Didymoglossum Desv.	469

<i>exiguum</i> (Bedd.) Copel.	469	<i>linearis</i> (Burm. f.) C.B. Clarke	467
henzaianum (Parish ex Hook.) Mazumdar	469	Gleichiniaceae	467
<i>insigne</i> Bosch	468	<i>Goniopteris prolifera</i> (Retz.) C. Presl	485
<i>latealatum</i> Bosch	468	<i>Gonocormus diffusus</i> (Blume) Bosch	469
<i>plicatum</i> Bosch.	468	<i>prolifer</i> (Blume) Prantl	469
<i>racemosum</i> Bosch	468	Grammitis Sw.	475
Diplaziopsidaceae	464	<i>involuta</i> D. Don	475
Diplaziopsis C. Chr.	464	<i>lanceolata</i> Sw.in Schrad.	475
javanica (Blume) C. Chr.	464	medialis (Baker) Ching	475
Diplazium Sw.	460	pilifera Ravi & J. Joseph	475
<i>asperum</i> Blume	459	<i>Gymnogramma calomelanos</i> (L.) Kaulf.	480
dilatatum Blume	460	var. <i>aureoflava</i> Hook.	480
esculentum (Retz.) Sw.	460	<i>lanceolata</i> (Sw.) Hook.	475
<i>japonicum</i> non Bedd.	460	<i>leptophylla</i> Desv.	479
<i>javanicum</i> (Blume) Makino	464	<i>Gymnopteris contaminans</i> Bedd.	465
<i>lasiopteris</i> Kunze	460	<i>lanceolatus</i> (Fee) Bedd.	476
<i>polypodioides</i> Blume	459	<i>preslianum</i> (Fee) Bedd.	467
<i>thwaitesii</i> (Braunek ex Mett.) Klotzsch ex T. Moore	460	<i>semicordata</i> J. Smith	465
Doryopteris J. Sm.	480	<i>subcrenata</i> (Hook. & Grev.) Bedd.	465
concolor (Langsd. & Fisch.) Kuhn	480	<i>variabilis</i> (Hook.) Bedd.	476
Drymoglossum C. Presl	475	var. <i>axillaris</i> (Cav.) Bedd.	476
heterophyllum (L.) Trimen	475	<i>variabilis</i> var. <i>lanceolatus</i> (Fee) Bedd.	476
<i>piloselloides</i> auct. non C. Presl.	475	Hemionitis L.	480
var. <i>beddomei</i> Bedd.	475	arifolia (Burm. f.) T. Moore.	480
Drynaria (Bory.) J. Sm.	475	<i>cordifolia</i> Roxb. ex Bedd.	480
quercifolia (L.) J. Sm.in Hook.	475	<i>esculenta</i> Retz.	460
Dryopteridaceae	464	<i>plantaginea</i> Cav.	479
Dryopteris Adans.	466	<i>prolifera</i> Retz.	485
<i>amabilis</i> (Blume) Kuntze	465	<i>Hippochaete ramosissima</i> subsp. <i>debilis</i> (Roxb. ex Vaucher) Á. Löve & D. Löve	467
<i>aristata</i> (G. Forst.) Kuntze	465	<i>Humata pulchra</i> (D. Don) Diels	463
austro-indica Fraser-Jenk.	466	Huperzia Bernh.	471
cochleata (D. Don) C. Chr.	466	hamiltonii (Spreng.) Trevis.	471
<i>contigua</i> Rosenst.	485	niligarica (Spring) R. D. Dixit	471
deparioides subsp. gracillima (Ching) Fraser-Jenk.466		squarrosa (G. Forst.) Trevis.	472
<i>extensa</i> (Blume) Kuntz.	485	<i>Hymenasplenium cheilosorum</i> (Kunze ex Mett.) Tagawa	461
<i>filix-mas</i> var. <i>cochleata</i> (D. Don) Alderw.	466	Hymenophyllaceae	468
<i>gracillima</i> var. <i>gracillima</i> Sledge	466	Hymenophyllum Sm.	469
hirtipes (Blume) Kuntze	466	<i>blumeanum</i> Spreng	469
<i>meeboldii</i> Rosenst.	486	<i>exiguum</i> Bedd	469
<i>otaria</i> (Kunze ex Mett.) Kuntze	459	exsertum Wall. ex Hook.	469
<i>parasitica</i> C. Chr.	486	<i>gardneri</i> Bosch	469
sparsa (D. Don) Kuntze	466	<i>himalaianum</i> Bosch	469
<i>Dryoptris gracillima</i> Ching	466	polyanthos Sw.	469
Egenolfia Schott	466	var. <i>minor</i> Bedd.	469
appendiculata (Willd.) J. Sm.	466	Hypodematiaceae	469
var. appendiculata	466	Hypolepis Bernh.	463
var. asplenifolia (Bory) Sledge	467	glandulifera Brownsey & Chinnock	463
<i>asplenifolia</i> (Bory) Fee	467	<i>pteridioides</i> Hook.	482
Elaphoglossum Schott	467	<i>punctata</i> (Thunb.) Mett	463
ciliatum (C. Presl) T. Moore	467	Isoetaceae	470
nilgiricum Krajina ex Sledge	467	Isoetes Reichenb.	470
<i>squamosum</i> auct.non J. Sm.	467	<i>bilaspurensis</i> Panigr.	470
Equisetaceae	467	<i>capsularis</i> Griff.	470
Equisetum L.	467	<i>coromandelina</i> L. f.	470
<i>debile</i> Roxb. ex Vaucher	467	var. <i>raipurensis</i> Unni	470
ramosissimum subsp. debile (Roxb. ex Vaucher) Hauke	467	<i>coromandelina</i> subsp. <i>brachyglossa</i> (A.Braun) Panigr.	470
<i>Gleichenia dichotoma</i> (Willd.) Bedd.	467	<i>dixitei</i> Shende	470

<i>indica</i> D.D.Pant & G.K.Srivast.	470	<i>cernuum</i> L.	472
<i>mahadevensis</i> G.K. Srivast.	470	<i>ciliare</i> Retz.	483
<i>mirzapurensis</i> Panigr. & Dixit	470	<i>delicatum</i> Desv. ex Poir.	484
<i>panchananii</i> Pant & Srivast.	470	<i>hamiltonii</i> Spreng.	471
<i>panchganiensis</i> G.K.Srivast.	470	<i>miniatosporum</i> Dalz.	484
var. <i>kemangundiensis</i> G.K.Srivast.	470	<i>niligarica</i> Spring	471
<i>pantii</i> Goswami & Arya	470	<i>nudum</i> L.	478
<i>rajasthanensis</i> Gena & Bhardwaja	470	<i>phyllanthum</i> Hook. & Arn.	472
<i>reticulata</i> Gena & Bhardwaja	470	<i>planum</i> Desv. ex Poir.	484
<i>sahyadriensis</i> Mahabale	470	<i>proniflorum</i> Lam.	484
<i>sampathkumarnii</i> L.N.Rao	470	<i>radicatum</i> Hook. & Grev.	484
<i>tuberculata</i> Gena & Bhardwaja	470	<i>repandum</i> Desv. ex Poir.	484
udupiensis P.K. Shukla	470	<i>squarrosus</i> G. Forst.	472
<i>Kaulinia pteropus</i> var. <i>minor</i> (Bedd.) B.K. Nayar & S. Kaur	477	<i>tenerum</i> Hook. & Grev.	484
<i>Lastrea aristata</i> (G. Forst.) T. Moore	465	Lygodiaceae	472
<i>beddomei</i> (Baker) Bedd.	487	Lygodium Sw.	472
<i>bergiana</i> sensu Bedd.	488	<i>flexuosum</i> (L.) Sw.	472
<i>calcarata</i> sensu Bedd.	488	<i>microphyllum</i> (Cav.) R. Br.	472
var. <i>ciliata</i> Bedd.	488	Macrothelypteris (H. Ito) Ching	486
<i>cochleata</i> (D Don)T. Moore	466	<i>ornata</i> (Wall. ex Bedd.) Ching	486
<i>coniifolia</i> auct. non T. Moore	465	<i>torresiana</i> (Gaudich.) Ching	487
<i>faciloba</i> Bedd.	488	Marsiliaceae	472
<i>filix-mas</i> var. <i>cochleata</i> (D. Don) Bedd.	466	Marsilea L.	473
<i>gracilescens</i> sensu Bedd.	487	<i>minuta</i> L.	473
<i>hirtipes</i> (Blume) T. Moore	466	<i>quadrifolia</i> auct. non L.	473
<i>intermedia</i> auct. non C. Presl	466	Marsiliaceae	473
<i>oethodes</i> (Kunze) Moore	487	<i>Mecodium exsertum</i> (Wall. ex Hook.) Copel.	469
var. <i>tylodes</i> (Kunze) Bedd.	488	<i>polyanthos</i> (Sw.) Copel.	469
<i>setigera</i> auct. non Moore	487	<i>Mertensia linearis</i> (Burm. f.) Fritsch	467
<i>sparsa</i> (Buch.-Ham. ex D. Don) T. Moore	466	<i>Microgonium henzaianum</i> (Parish ex Hook.) Copel.	469
var. <i>minor</i> (Thwaites ex Baker) Bedd.	466	Microlepia Presl.	464
<i>torresianum</i> (Hook.) Moore	487	<i>speluncae</i> (L.) Moore	464
<i>xyloides</i> (Kunze) T. Moore	488	<i>strigosa</i> (Thunb.) C. Presl	464
<i>Lepicystis lanceolata</i> (L.) Diels	477	Microsorium Link	477
Lepisorus (J. Sm.) Ching	476	<i>membranaceum</i> (D. Don) Ching	477
<i>nudus</i> (Hook.) Ching	476	<i>pteropus</i> (Blume) Copel.	477
Leptochilus Kaulf.	476	<i>pteropus</i> f. <i>minor</i> (Bedd.) Ching	477
<i>axillaris</i> (Cav.) Kaulf.	476	var. <i>minor</i> (Bedd.) C. Chr. & Tardieu	477
<i>decurrens</i> Blume	476	<i>punctatum</i> (L.) Copel.	477
Leucostegia C. Presl	469	<i>Nephrodium abruptum</i> sensu Bedd.	487
<i>immersa</i> Wall. ex C. Presl	469	<i>amabile</i> (Blume) Hand.-Mazz.	465
<i>pulchra</i> (D. Don) J. Sm.	463	<i>articulatum</i> Houlston & T.Moore	487
Lindsaea Dryand. ex Sm.	470	<i>beddomeii</i> Baker	487
<i>cultrata</i> auct. multo	471	<i>cochleatum</i> D.Don	466
<i>ensifolia</i> Sw.	470	<i>didymosorum</i> Parish ex Bedd.	486
<i>heterophylla</i> Dryand.	471	<i>externum</i> (Blume) Moore	485
<i>lobbiana</i> Hook.	471	<i>filix-mas</i> var. <i>cochleatum</i> (D. Don) Hook.	466
<i>malabarica</i> (Bedd.) Baker ex Christ	471	<i>hirtipes</i> (Blume) Hook.	466
<i>odorata</i> Roxb. ex Griff.	471	<i>molle</i> sensu Hook.	485
<i>venusta</i> Kaulf. ex Kuhn	471	var. <i>didymosorum</i> (Parish ex Bedd.) Bedd.	486
Lindsaeaceae	470	var. <i>major</i> Bedd.	486
Loxogramme (Blume) C. Presl	475	<i>oethodes</i> (Kunze) Hook.	487
<i>involuta</i> (D. Don) Presl	475	<i>otaria</i> (Kunze ex Mett.) Baker	459
<i>lanceolata</i> (Sw.) C. Presl	475	<i>otarium</i> (Kunze ex Mett.) Baker	459
<i>parallela</i> auct. non Copel.	475	<i>papilio</i> Hope	486
Lycopodiaceae	471	<i>pennigerum</i> sensu Bedd.	487
Lycopodiella Holub	472	<i>prolixum</i> Baker	487
<i>cernua</i> (L.) Pic.-Serm.	472	<i>prolixum</i> sensu C. B. Clarke	488
<i>Lycopodium bryopteris</i> Wall.	484	var. <i>tylodes</i> (Kunze) Baker	488
		<i>propingum</i> R. Br.	486

<i>pteroides</i> sensu Bedd. J. Sm.	486	<i>Pleocnemia aristata</i> Bedd.	459
<i>punctatum</i> Parish ex Bedd.	485	Pleopeltis Humb. & Bonpl. ex Willd.	477
<i>quadrangulare</i> Fee	485	<i>hastata</i> Bedd.	475
<i>sparsum</i> D. Don	466	<i>hemionitidea</i> Moore	474
var. <i>latisquamum</i> C.B. Clarke	466	<i>lanceolata</i> Kaulf.	477
<i>sparsum</i> var. <i>minus</i> Thwaites ex Baker	466	<i>lanceolata</i> (L.) Bedd.	477
<i>tenericaule</i> (Hook.) Hook.	487	<i>linearis</i> sensu Bedd.	476
<i>terminans</i> J.Sm. ex Hook.	486	macrocarpa (Bory ex Willd.) Kaulf.	477
<i>truncatum</i> sensu Bedd.	487	<i>membranacea</i> (D. Don) T. Moore ex Bedd.	477
<i>tylodes</i> (Kunze) Hope	488	<i>nuda</i> Hook.	476
Nephrolepidaceae	473	<i>oxyloba</i> Bedd.	475
Nephrolepis Schott	473	<i>pteropus</i> var. <i>minor</i> Bedd.	477
auriculata (L.) Trimen	473	<i>punctata</i> Bedd.	477
<i>exaltata</i> auct. non (L.) Schott	473	<i>wightiana</i> Bedd.	476
multiflora (Roxb.) F.M. Jarrett ex C.V. Morton	473	Pneumatopteris Nakai	487
<i>tuberosa</i> Presl	473	truncata (Poir.) Holttum	487
<i>Nephrolepis cordifolla</i> (L.) Presl	473	<i>Poecilopteris repanda</i> non (Blume) Presl.	465
<i>Neurogramma calomelanos</i> (L.) Diels	480	<i>semlicordata</i> Bedd.	465
<i>Niphobolus adnascens</i> (Sw.) Bedd.	476	<i>Polybotrya appendiculata</i> (Willd.) J.Sm.in Hook.	466
<i>lanceolatus</i> (L.) Keyserl.	477	var. <i>asplenifolia</i> (Bory) Bedd.	467
<i>porosus</i> C. Presl	476	<i>asplenifolia</i> C.Presl	466
<i>Odontosoria chinensis</i> (L.) J. Sm.	471	<i>asplenifolia</i> (Bory) Presl.	467
Oleandra Cav.	473	<i>prolifera</i> Bory	464
musifolia (Blume) C. Presl	473	Polypodiaceae	474
<i>neriiformis</i> auct. non Cav.	473	<i>Polypodium adnascens</i> Sw.	476
Oleandraceae	473	<i>aristatum</i> G. Forst.	465
<i>Olfersia ciliata</i> C. Presl	467	<i>auriculatum</i> L.	473
Ophioglossaceae	473	<i>cordifolium</i> L.	473
Ophioglossum L.	474	<i>dentatum</i> Forssk.	485
<i>coriaceum</i> A.Cunn.	474	<i>ensatosessilifrons</i> Hayata	474
costatum R. Br. Prod.	474	<i>evectum</i> G. Forst.	472
<i>fibrosum</i> Schum.	474	<i>hemionitideum</i> Wall.	474
<i>flexuosum</i> L.	472	<i>hemionitideum</i> (Wall. ex C. Presl) Mett.	474
<i>gramineum</i> Willd.	474	<i>lanceolatum</i> L.	477
lusitanicum subsp. coriaceum (A. Cunn.) R.T.	474	<i>leptophyllum</i> L.	479
Clausen	474	<i>lineare</i> Burm.f.	467
nudicaule L. f.	474	<i>macrocarpum</i> Bory ex Willd.	477
<i>parvifolium</i> Grev. & Hook.	474	<i>mediale</i> Baker	475
<i>pedunculatum</i> Desv.	474	<i>membranaceum</i> D. Don	477
reticulatum L.	474	<i>ornatum</i> Wall. ex Bedd.	486
<i>wightii</i> Grev. & Hook.	474	<i>palustre</i> Burm.f.	462
Osmunda L.	474	<i>parasiticum</i> auct. non Mett.; Bedd.	475
<i>hugeliana</i> C. Presl	474	<i>parasiticum</i> L.	486
regalis L.	474	<i>porosum</i> (C. Presl) Mett.	476
Osmundaceae	474	<i>punctatum</i> Thunb.	463
<i>Palhinhaea cernua</i> (L.) Franco & Vasc.	472	<i>punctatum</i> Sw.	477
<i>Paraleptochilus decurrens</i> (Blume) Copel.	476	<i>quercifolium</i> L.	475
Parathelypteris (H. Ito) Ching	487	<i>speluncae</i> L.	464
beddomei (Baker) Ching	487	<i>truncatum</i> Poir.	487
<i>Pellaea calomelanos</i> (L.) Link	480	<i>Polystichopsis amabilis</i> (Blume) Tagawa	465
<i>concolor</i> Langsd. & Fisch.	480	<i>aristata</i> (G. Forst.) Holttum	465
<i>geranifolia</i> (Reddi) Fee	480	<i>Polystichum amabile</i> (Blume) J. Sm.	465
<i>Phegopteris ornata</i> J. Smith	486	<i>aristatum</i> (G. Forst.) C. Presl	465
<i>Phlebodium lanceolatum</i> (L.) J. Sm.	477	<i>lobatum</i> var. <i>aristatum</i> (G. Forst.) C. Chr.	465
Phlegmariurus (Herter) Holub	472	<i>sparsum</i> (D. Don) Keyserl.	466
phyllanthum (Hook. & Arn.) R. D. Dixit	472	<i>torresianum</i> Gaudich.	487
<i>Phymatopteris montana</i> (Sledge) Pichi-Serm.	475	<i>tripinnatum</i> Goldm.	465
Pityrogramma Link	480	Pronephrium Presl	487
calomelanos (L.) Link	480	articulatum (Houlston & T. Moore) Holttum	487
var. <i>aureoftava</i> (Hook) Weath. ex Bailey	480	Pseudocyclosorus Ching	487

ochthodes (Kunze) Holttum	487	<i>wallichii</i> Ching	465
<i>tuberculifer</i> (C.Chr.) Ching	488	<i>Sagenia coadunata</i> J. Smith	484
<i>tylodes</i> (Kunze) Ching	488	<i>macrodonta</i> Fee	484
Psilotaceae	478	<i>variolosa</i> sensu Bedd.	484
Psilotum Sw.	478	Salvinia Seg.	483
nudum (L.) P. Beauv.	478	adnata Desv.	483
<i>triquetrum</i> Sw.	478	<i>molesta</i> D. S. Mitch.	483
Pteridaceae	478	natans (L.) All.	483
Pteridium Glod. ex Scop.	464	Salviniaceae	483
aquilinum (L.)Kuhn	464	Schizaea Sm.	483
Pteris L.	481	digitata (L.) Sw.	483
<i>almeidiana</i> Bole & Almeida	481	Schizaeaceae	483
<i>aquilina</i> L.	464	<i>Schizolegnia indica</i> Almeida	471
argyrea T. Moore	481	<i>savantwadiensis</i> Almeida	471
arisanensis Tagawa	481	<i>Schizoloma ensifolium</i> (Sw.) J. Sm.	470
aspericaulis Wall. ex J. Agardh	481	<i>heterophyllum</i> (Dryand.) J.Sm.	471
<i>biaurita</i> auct. non L.	481	<i>lobata</i> sensu Bedd.	471
subsp. walkeriana Fraser-Jenk. & D. Rajkumar	481	<i>lobatum</i> var. <i>malabaricum</i> (Bedd.) Bedd.	471
blumeana J. Agardh	481	<i>malabaricum</i> Bedd.	471
<i>breviora</i> Baker	482	<i>recurvatum</i> auct. non (Wall. ex Hook.) T.Moore	471
<i>calomelanos</i> (L.) Bedd.	480	Selaginella P. Beauv.	483
confusa T. G. Walker	481	ciliaris (Retz.) Spring	483
<i>cretica</i> var. <i>heteromorpha</i> (Fee) Bedd.	481	<i>dalzellii</i> Baker	484
ensiformis Burm.f. cv. <i>victoriae</i> Baker	481	delicatula (Desv. ex Poir.) Alston	484
<i>farinosa</i> Forssk.	480	miniatozpora (Dalz.) Baker	484
<i>furunculata</i> N.C.Nair & S.R.Ghosh	482	plana (Desv. ex Poir.) Hieron.	484
<i>glabra</i> Merr.	481	proniflora (Lam.) Baker	484
heteromorpha Fee	481	radicata (Hook. & Grev.) Spring	484
<i>hildebrandtii</i> Hieron.	481	repanda (Desv. ex Poir.) Spring	484
<i>interrupta</i> Willd.	486	tenera (Hook. & Grev.) Spring	484
linearis Poir.	481	wightii Hieron.	484
<i>linearis</i> Roxb.	482	Selaginellaceae	483
longipes D. Don	482	<i>Selenodesmium obscurum</i> (Blume) Copel.	468
<i>manickamii</i> D.Rajkumar	482	Sphenomeris Maxon	471
<i>nemoralis</i> Willd.	481	chinensis (L.) Maxon	471
<i>normalis</i> D. Don	481	Stenochlaena J. Sm.	462
otaria Bedd.	482	palustris (Burm.f.) Bedd.	462
<i>pellucens</i> J. Agardh	482	<i>scandens</i> (Sw.) J. Sm.	462
pellucida C. Presl	482	<i>Stenoloma chinense</i> (L.) Bedd.	471
praetermissa T. G. Walker	482	<i>Struthiopteris regalis</i> (L.) Bernh.	474
<i>propinqua</i> J.Sm.	481	Tectaria Cav.	484
f. <i>ludens</i> Thwaites	482	coadunata (J. Sm.) C. Chr.	484
quadriaurita Retz.	482	polymorpha (Wall. ex Hook.) Copel.	485
var. <i>argenta</i> Bedd.	481	Tectariaceae	484
<i>quadriaurita</i> var. <i>aspericaulis</i> (Wall. ex Agardh)	481	<i>Tectarla macrodonta</i> (Fee) C. Chr.	484
Beddome	481	<i>Thamnopteris nidus</i> var. <i>phyllitidis</i> Bedd.	461
var. <i>ludens</i> (Thwaites) Bedd.	482	<i>phyllitidis</i> Bedd.	461
scabripes Wall. ex Agardh	482	Thelypteridaceae	485
semipinnata L.	482	Thelypteris Schmid.	488
<i>silentvalliensis</i> S. R. Ghosh & R. K. Ghosh	482	<i>beddomei</i> (Baker) Ching	487
sp. near <i>pellucens</i> J. Agardh	482	<i>caudipinna</i> Ching	488
<i>venusta</i> Kunze	482	<i>extensa</i> (Blume) Morton	485
vittata L.	482	<i>meeboldii</i> C. F. Reed	486
<i>zollingeri</i> Mett. ex Miq.	482	<i>ochthodes</i> (Kunze) Ching	487
Pyrrhosia Mirbel	476	<i>ornata</i> Ching	486
lanceolata (L.) Farw.	476	<i>tylodes</i> (Kunze) Ching	488
porosa (C.Presl) Hovenkamp	476	xyloides (Kunze) Ching	488
<i>Pyrrhosia adnascens</i> (Sw.) Ching	476	Trichomanes L.	469
<i>Rumohra amabilis</i> (Blume) Ching	465	<i>adiantoides</i> L.	462
<i>aristata</i> (G. Forst.) Ching	465	<i>aethiopicum</i> Burm f.	460

<i>bipunctatum</i> auct. non Poir.	468	<i>plicatum</i> (Bosch) Bedd.	468
var. <i>insigne</i> (Bosch) Bedd.	468	<i>polyanthos</i> Sw.	469
var. <i>latealatum</i> (Bosch) C.B. Clarke	468	<i>proliferum</i> Blume	469
var. <i>plicatum</i> (Bosch) Bedd.	468	<i>pyxidiferum</i> auct. non L.	469
<i>chinense</i> L.	471	<i>rigidum</i> auct. non Sw.	468
exiguum (Bedd.) Baker	469	<i>strigosum</i> Thunb.	464
<i>filicula</i> auct. on (Bory ex Willd.) Bory	468	<i>subpinnatifidum</i> Bosch	469
<i>henzaianum</i> Parish ex Hook.	469	<i>tenuifolia</i> Burm. f.	480
<i>insigne</i> (Bosch) Bedd.	468	Trigonospora Holttum	488
<i>intramarginale</i> Hook. & Grev.	468	<i>caudipinna</i> (Ching) Sledge	488
<i>kurzii</i> Bedd	468	<i>ciliata</i> (Wall. ex Benth.) Holttum	488
<i>latealatum</i> (Bosch) Christ	468	var. <i>angustifolia</i> Holttum	488
<i>latealatum</i> (Bosch) Christ	468	<i>obtusiloba</i> Sledge	488
<i>latemarginale</i> A.A.Eaton	468	<i>Tristeca nuda</i> (L.) P. Beauv. ex J. St.-Hil.	478
<i>minutum</i> Blume	469	<i>Ugenia microphyllum</i> Cav.	472
<i>obscurum</i> Blume	468	Vittaria Sm.	483
<i>plicatum</i> (Bosch) Bedd.	468	<i>elongata</i> Sw.	483